

Earthing bars

■ PES1350 / PES1630 Polygonal earthing bar



Application

Locate of earthing clamp to contact wire for temporary earthing of overhead lines.

Characteristics

The quick release coupling has easy locking for pivot according to DIN48087

Material

Polygonal tube out of glass fibre, foam filled top tube

Legend

1) PES1350

2) PES1630

Article-Nr.	mm a							Kg	
645.001.098	1630 - 5120							3	2

Accessories



Earthing wire guide 649.001.143

Article-Nr.								Kg	
649.001.143									0.385

Accessories



Signal flag 640.055.000

Article-Nr.	mm							Kg	
640.055.000	44								2

Accessories



Signalflag without fixing 649.002.000

Article-Nr.	mm							Kg	
649.002.000	44								3

Accessories



Bag 649.001.130

Article-Nr.								Kg	
649.001.130									0.8

Accessories									
 Bag 649.001.131									
Article-Nr.									Kg 
649.001.131									0.5



Technical Specifications: **Polygonal earthing bar PES1350 / PES1630**

Article No.	645.001.098
Length a	1630 - 5120 mm
comment	2
Commercial specification	
Customs number	85359000
country of origin	CH
Texte	
comment	2
Logistic specification	
Kilo / piece	3 kg

