


## Earthing bars

## ■ PES1350 / PES1630 Polygonal earthing bar

**Application**

Locate of earthing clamp to contact wire for temporary earthing of overhead lines.

**Characteristics**

The quick release coupling has easy locking for pivot according to DIN48087

**Material**

Polygonal tube out of glass fibre, foam filled top tube

**Legend**

1) PES1350

2) PES1630

| Article-Nr. | mm<br>a     |  |  |  |  |  |  | Kg  |   |
|-------------|-------------|--|--|--|--|--|--|-----|---|
| 645.210.000 | 1350 - 3950 |  |  |  |  |  |  | 2.8 | 1 |
| 645.001.098 | 1630 - 5120 |  |  |  |  |  |  | 3   | 2 |

**Accessories**

Earthing wire guide 649.001.143

| Article-Nr. |  |  |  |  |  |  |  | Kg |       |
|-------------|--|--|--|--|--|--|--|----|-------|
| 649.001.143 |  |  |  |  |  |  |  |    | 0.385 |

**Accessories**

Signal flag 640.055.000

| Article-Nr. | mm |  |  |  |  |  |  | Kg |   |
|-------------|----|--|--|--|--|--|--|----|---|
| 640.055.000 | 44 |  |  |  |  |  |  |    | 2 |

**Accessories**

Signalflag without fixing 649.002.000

| Article-Nr. | mm |  |  |  |  |  |  | Kg |   |
|-------------|----|--|--|--|--|--|--|----|---|
| 649.002.000 | 44 |  |  |  |  |  |  |    | 3 |

**Accessories**

Bag 649.001.130

| Article-Nr. |  |  |  |  |  |  |  | Kg |     |
|-------------|--|--|--|--|--|--|--|----|-----|
| 649.001.130 |  |  |  |  |  |  |  |    | 0.8 |

## Accessories



Bag 649.001.131

| Article-Nr. |  |  |  |  |  |  |  |  |  |
|-------------|--|--|--|--|--|--|--|--|-------------------------------------------------------------------------------------|
| 649.001.131 |  |  |  |  |  |  |  |  | 0.5                                                                                 |



Technical Specifications: **Polygonal earthing bar PES1350 / PES1630**

|                          |                |                |
|--------------------------|----------------|----------------|
|                          | 645.210.000    | 645.001.098    |
| Length a                 | 1350 - 3950 mm | 1630 - 5120 mm |
| Commercial specification |                |                |
| Customs number           | 85359000       |                |
| country of origin        | CH             |                |
| Logistic specification   |                |                |
| Kilo / piece             | 2.8 kg         | 3 kg           |

